## 90cm Induction Cooktop

### COOKTOP

PRODUCT CODE: **E900IDB** 




# eurocooking INSTALLATION DIAGRAM

#### **FEATURES:**

- Induction cooktop
- Easy clean Ceran glass
- 6 cooking zones
- Front sensor touch control operation
- Over temperature safety device
- Auto shutdown protection

- Timer function
- Child lock safety
- Bridge function
- 9 heating levels
- Residual heat indicator
- Square edge design



#### RESIDUAL HEAT INDICATOR

Residual Heat Indication is a safety feature to indicate that the surface of the glass ceramic on top of a cooking zone still above 60°C which may cause burns when touching by bare hands. The segment of the corresponding cooking zone displays an H in this case.

#### TIMER FUNCTION

The timer function allows you to select the number of minutes you would like to cook for. The cooking zone will turn off automatically once the time has elapsed.

#### **AUTO SHUTDOWN PROTECTION**

This is an additional safety feature to turn off cooking zones after a certain time with no operation to the corresponding cooking zone by the user.

#### OVER-TEMPERATURE SAFETY DEVICE

To ensure safety whilst cooking, this induction cooktop is equipped with a safety system to monitor the temperature. When an excessive temperature is monitored, the induction cooktop will stop operation automatically.

#### **BRIDGE FUNCTION**

Bridging of 2 cooking zones is the connection of 2 single cooking zones, so they can be controlled and will behave as one large cooking zone. This is possible in the square zone with the inscription "bridge".

#### **BOOSTER**

The booster enables the cooktop to dissipate a higher power for a cooking zone than its normal power for a short period of time (up to 5 minutes).

#### CLEANING AND MAINTENANCE

- Cleaning operations must only be carried out when the appliance is completely cool.
- Clean the appliance regularly, preferably after each use
- Abrasive cleaners or sharp objects will damage the appliance surface; you should clean it using water and a little washing up

#### SPECIFICATIONS:

Electrical Requirements	46 amp dedicated circuit from cooktop to main switchboard
Voltage	220V-240V
Frequency	50Hz-60Hz
Total Rated Load:	11.1kW
Cooking Zones:	
- Front Left Zone	1400-2100W
- Rear Left Zone	2300W-3000W
- Rear Right Zone	2300W-3000W
- Front Right Zone	1400W-2100W
- Rear Central Zone	2100W-3000W (Bridge 1500W-1850W)
- Front Central Zone	2100W-3000W (Bridge 1500W-1850W)
Weight	15.3kg (Gross)
Product Dimensions	<b>W</b> 900mm x <b>D</b> 510mm

#### ABOUT INDUCTION COOKTOPS

- Induction electric cooktops are suited to consumers who are truly energy-conscious as well as providing rapid heating.
- Induction cooktops result in up to 40% greater energy efficiency than gas cooktops and up to 26% greater energy efficiency than ceran glass cooktops.